

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		((A/D) or (analog adj digital)) with convert\$3	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2004/04/13 08:49
S1	4778	((photoelectric) (photo adj electric)) adj transducer	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/29 17:04
S2	1931	offset adj set\$4	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:03
S3	25933	(compar\$4 same (average median middle center) with value)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:03
S4	0	(adjust\$4 with size with range) and (((photoelectric) (photo adj electric)) adj transducer) and (((A/D) or (analog adj digital)) with convert\$3) and ((offset adj level) same detect\$4 same circuit) and (offset adj set\$4) and ((compar\$4 same (average median middle center) with value))	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/29 16:59
S5	479	(((photoelectric) (photo adj electric)) adj transducer) and (((A/D) or (analog adj digital)) with convert\$3)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:01
S6	0	(((photoelectric) (photo adj electric)) adj transducer) and (((A/D) or (analog adj digital)) with convert\$3)) and ((offset adj level) same detect\$4 same circuit)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/29 17:00
S7	1	(((photoelectric) (photo adj electric)) adj transducer) and (((A/D) or (analog adj digital)) with convert\$3)) and (offset adj set\$4)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/29 17:00
S8	31	(((photoelectric) (photo adj electric)) adj transducer) and (((A/D) or (analog adj digital)) with convert\$3)) and ((compar\$4 same (average median middle center) with value))	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/29 17:00
S9	13	(((photoelectric) (photo adj electric)) adj transducer) and (((A/D) or (analog adj digital)) with convert\$3)) and ((compar\$4 same (average median middle center) with value)) and "358"/\$.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/29 17:03
S10	74701	(CCD or ((photoelectric) (photo adj electric)) adj transducer)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:04
S11	7	(CCD or ((photoelectric) (photo adj electric)) adj transducer) and ((offset adj level) same detect\$4 same circuit)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/29 18:29
S12	6	gibbs.xa.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 10:18

S13	87	microcomputer same compar\$3 same (average median medium center) adj value	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:02
S14	1	microcomputer same compar\$3 same (average median medium center) adj value and "358"/\$.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 10:20
S15	74826	(CCD or ((photoelectric) (photo adj electric)) adj transducer)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 10:21
S16	63	adjust\$3 same size same range same ((CCD or ((photoelectric) (photo adj electric)) adj transducer))	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 10:22
S17	6	adjust\$3 same size same range same ((CCD or ((photoelectric) (photo adj electric)) adj transducer)) and "358"/\$.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 11:16
S18	2	"6426804".pn.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 10:39
S19	2	"6198349".pn.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 10:39
S20	10	adjust\$3 with size with range same ((CCD or ((photoelectric) (photo adj electric)) adj transducer))	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 11:18
S21	107	adjust\$3 with size with predetermined adj range	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:03
S22	1	adjust\$3 adj size adj predetermined adj range	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 11:21
S23	98	(offset adj level) same detect\$4 same circuit	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 12:09
S24	0	microcomputer with compar\$4 with average and ((offset adj level) same detect\$4 same circuit)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 11:23
S25	333	offset same set\$4 same (average adj value)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 11:23
S26	1	offset same set\$4 same (average adj value) and (microcomputer same compar\$3 same (average median medium center) adj value)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 11:23

S27	118433	((A/D) or (analog adj digital)) with convert\$3	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 12:11
S28	6	((A/D) or (analog adj digital)) with convert\$3 and (offset adj level adj detect\$3)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 17:46
S29	11	(pel or (picture adj elements)) same (predetermined adj range) same (black)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 18:03
S30	7	black adj (pel or (picture adj elements)) same (predetermined adj range)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 18:06
S31	62	black adj (pel or (picture adj elements)) same (range)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 18:06
S32	25	black adj (pel or (picture adj elements)) same (range) and "358"/\$.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 18:23
S33	74826	(CCD or ((photoelectric) (photo adj electric)) adj transducer)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:02
S34	9	(black adj (pel or (picture adj elements)) same (range) and "358"/\$.ccls.) and ((CCD or ((photoelectric) (photo adj electric)) adj transducer))	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 18:24
S35	0	((photoelectric) (photo adj electric)) adj transducer) and ((A/D) or (analog adj digital)) with convert\$3) and 358/496.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:02
S36	63	(compar\$4 same (average median middle center) with value) and 358/461	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:02
S37	226	(CCD or ((photoelectric) (photo adj electric)) adj transducer) and 358/463	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:02
S38	0	microcomputer same compar\$3 same (average median medium center) adj value and 358/442.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:02
S39	0	adjust\$3 with size with predetermined adj range and 358/3.27	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:03
S40	0	offset adj set\$4 and 358/445.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:03

S41	13	(compar\$4 same (average median middle center) with value) and 358/446.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:04
S42	40	(compar\$4 same (average median middle center) with value) and 358/447.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:04
S43	8	(compar\$4 same (average median middle center) with value) and 358/3.22.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:04
S44	135	(CCD or ((photoelectric) (photo adj electric)) adj transducer) and 358/464.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:04
S45	94	(CCD or ((photoelectric) (photo adj electric)) adj transducer) and 358/466.ccls.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2003/09/30 19:04
S46	4498	photoelectric adj transducer	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2004/03/22 15:06
S47	12	photoelectric adj transducer same (adjust\$3 with lines)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2004/03/22 15:09
S48	33	(CCD) same (adjust\$3 with number with lines)	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2004/03/22 15:11
S49	8	predetermined with number with line same (CCD or (photoelectric adj transducer)) same adjust\$3	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2004/03/23 14:38
S50	148	predetermined with transducer with number with line	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/02 14:27
S51	21	predetermined with transducer with number with line same image	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/02 14:28
S52	2	predetermined with transducer with number adj line same image	USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2004/04/02 14:28
S53	29	gibbs.xa.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2004/04/13 08:50
S54	0	gibbs-heather.xa.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2004/04/13 08:50

S55	25	gibbs-heather-d.xa.	USPAT; EPO; DERWENT ; IBM_TDB	OR	ON	2004/04/13 08:50
-----	----	---------------------	--	----	----	------------------